



Unleashing the best veterinary outcomes. *Together.*



VetPower

A Movora Brand

OmniOS

Orthopedic
Power System




VetPower OmniOS Handpiece



VetPower OmniOS Jacobs Drill Attachment (w/ Key)



VetPower OmniOS Oscillating Saw Attachment



VetPower OmniOS Sterilization Case




VetPower OmniOS Battery



VetPower OmniOS Battery Casing



VetPower OmniOS Battery Shield



VetPower OmniOS Charger



VetPower OmniOS Small AO Drill Attachment



VetPower OmniOS K-Wire/Pin Driver Attachment



VetPower OmniOS TPLO Saw Attachment (w/ Wrench)

KIT INCLUDES:


CODE

1 ea. - VetPower OmniOS Handpiece	VPDI-HP
1 ea. - VetPower OmniOS Jacobs Drill Attachment (w/ Key)	VPDI-JDA
1 ea. - VetPower OmniOS Oscillating Saw Attachment	VPDI-OSA
1 ea. - VetPower OmniOS Sterilization Case	VPDI-ST
2 ea. - VetPower OmniOS Battery	VPDI-BP
2 ea. - VetPower OmniOS Battery Casing	VPDI-BPC
1 ea. - VetPower OmniOS Battery Shield	VPDI-BS
1 ea. - VetPower OmniOS Charger	VPDI-BCH
1 ea. - VetPower OmniOS Small AO Drill Attachment.....	VPDI-SAODA
1 ea. - VetPower OmniOS K-Wire/Pin Driver Attachment.....	VPDI-WPDA
*1 ea. - VetPower OmniOS TPLO Saw Attachment (w/ Wrench).....	VPDI-TPLOA

*Kit can come with or without item



Unleashing the best veterinary outcomes. Together.



VetPower
A Movora Brand



OmniOS Specifications

	Item#	Capacity	RPM	Cannulation
Drill (Jacobs Chuck)	VPD1-JDA	0.7 - 7.4 mm	0 - 1,200	4.0 mm
Universal Drill (Zimmer/Hudson)	VPD1-UDA	N/A	0 - 1,200	4.0 mm
Drill - Large A/O	VPD1-LAODA	N/A	0 - 1,200	4.0 mm
Drill - Small A/O	VPD1-SAODA		0 - 1,200	4.0 mm
Universal Reamer (Zimmer/Hudson)	VPD1-URA	N/A	0 - 380	4.0 mm
Reamer (Jacobs Chuck)	VPD1-JRA	0.7 - 7.4 mm	0 - 380	4.0 mm
Reamer (Large A/O)	VPD1-LAORA	N/A	0 - 380	4.0 mm
Wire/Pin Driver	VPD1-WPDA	0.7 - 4.0 mm	0 - 1,200	4.0 mm
	Item#	Hub	CPM	
Oscillating Saw	VPD1-OSA	Stryker Hub Type	0 - 12,000	
Reciprocating Saw	VPD1-RSA	Stryker Hub Type	0 - 12,000	
TPLO Saw	VPD1-TPLOA	Drill	0 - 12,0w00	

Handpiece Specifications

Drill Speed (RPM)	0 - 1,200
Cut Speed (CPM)	0 - 12,000
Weight (g)	780
Water Proof Rating	IPX7
Autoclavable?	Yes
Operation	Forward (CW), Reverse (CCW), Oscillating

Battery Specifications

Type	Li-Ion (Samsung)
Voltage	16.8
mAh Capacity	2,500
Model	VPD1-BP

